

**AGENDA FOR THE 34th MEETING OF THE
PUDUCHERRY COASTAL ZONE MANAGEMENT AUTHORITY
TO BE HELD ON 29.03.2017 AT 4.00 P.M.
IN THE CHAMBER OF SECRETARY (ENVIRONMENT),
CHIEF SECRETRAITE, PUDUCHERRY.**

Agenda Item No 1:CRZ clearance for development of beach at Dubrayapet, Puducherry Municipality, Puducherry.

CRZ application, project lay out received from the Director Tourism, Department of Tourism, Puducherry requested to offer opinion/views of PCZMA.

2. The salient features of the proposal are stated below:

i)	Name of the Project	Development of beach at Dubrayapet, Puducherry
ii)	Name of the Applicant	The Director, Tourism Department, Government of Puducherry.
iii)	Location of the Project Village/Town, Taluk, Dt	T.S.No.11/pt, Dubrayapet beach, Puducherry Municipality , Puducherry
iv)	Extent of land	Approx., 12,500 Sq.mts.
v)	CRZ Classification	CRZ – II
vi)	Project cost	Rs.4,90,29,000/-
vii)	Activities proposed	<ol style="list-style-type: none"> 1) Petty shop (temporary tiled roofing) 2) Toilet Block 3) Foot path 4) Paved Decks 5) Rain Shelter 6) Tree pits 7) Tensile roofed food court
viii)	Other details	<ul style="list-style-type: none"> • Petty shop cluster – 3 Nos, They are single floor brick masonry structures with padak wood roofing with MP tiles. • Toilet – 2 Nos • Paved Decks, Tensile Roofing and Tree Pits – It is proposed to developed as a courtyard for open dining. • Renewable energy will be utilized for power supply. • 75 Kg/Day of Solid waste generate and handed over to Arianyankuppam Commune Panchayat. • 2 KLD for domestic use from public supply. • Waste water generation about 1.6 KLD treated through septic tank followed by soak pit.
ix)	Whether permitted	IN CRZ II Buildings are permitted on the

	activity as per CRZ Notification? If yes, specify the relevant rules	landward side of the authorized structures or existing road. The present proposal is for development of beach for tourism activities on the seaward side of the authorized structures.
		Considering the fact that the facilities for beach tourism can be developed on the beach and facilities like park , play field , public rain shelter, community toilets etc., are permissible even in the NDZ , the present proposal may be permissible. With the condition that there shall not be any permanent structures and only eco friendly material shall be used for construction.
x)	Whether issue of clearance is within the scope of PCZMA or MoEF?	Yes PCZMA. Since, the Proposed build up area of the project is less than 20,000 Sq.mts.

Remarks:

- The main strength or the life line of Puducherry Tourism lies in its beaches.
- The proposed to develop the beach stretches for tourism activities and to create quality recreational facilities to the local people.
- To create facilities for the tourists visiting the place. Accordingly, reports have been prepared and fund are made available through central assistance.
- These work will be executed by PWD under the central sponsored scheme as Tourist circuit under swadesh darshan scheme (Coastal Circuit), Puducherry and maintained by Tourism Department.

Hence place before the Authority.

Agenda Item No 2: CRZ clearance for development of beach at Arikamedu, Ariyankuppam Commune Panchayat, Puducherry.

CRZ application with project report, project lay out received from the Director Tourism, Department of Tourism, Puducherry requesting to offer opinion/views of PCZMA.

2. The salient features of the proposal are stated below:

i)	Name of the Project	Development of beach at Arikamedu in Puducherry
ii)	Name of the Applicant	The Director, Tourism Department, Government of Puducherry.
iii)	Location of the Project Village/Town, Taluk,	R.S.No.131/pt, Arikamedu beach, Ariyankuppam Commune Panchayat, ,

	Dt	Puducherry
iv)	Extent of land	Approx., 15000 Sq.mts.
v)	CRZ Classification	CRZ – III (No Development Zone- 200 meters from HTL)
vi)	Project cost	Rs.3,37,36,000/-
vii)	Activities proposed	<ol style="list-style-type: none"> 1) Gabion wall 2) Landscaping 3) Pathway 4) Pavilion & Parking 5) Café 6) Toilet
viii)	Other details	<ul style="list-style-type: none"> • The proposed Gabion wall total length is approximately 440m. • Pavillion – 2 Nos • Stage of plinth area 275 Sq.mts is considered to facilitate public activities. • Tree court of area 1237 Sq.mts with 18 tree pits. • Renewable energy will be utilized for power supply. • 75 Kg/Day of Solid waste generate and handed over to Arianyankuppam Commune Panchayat. • 2 KLD for domestic use from public supply. Waste water generation about 1.6 KLD treated through septic tank followed by soak pit.
ix)	Whether permitted activity as per CRZ Notification? If yes, specify the relevant rules	<p>For activities proposed in Arikamedu beach it is submitted that</p> <ul style="list-style-type: none"> • For Landscaping As per para 8 III CRZ-III A sub section iii agriculture, horticulture, gardens, pasture, parks, play field, and forestry activities may be permitted in NDZ. <p>For Temporary Wooden Restaurant/Cafe As per para 8 III CRZ-III A (ii) No construction shall be permitted within NDZ except for repairs or reconstruction of existing authorized structure not exceeding existing Floor Space Index, existing plinth area and existing density and for permissible activities under the notification including facilities essential for activities.</p> <p>For Rain shelter & Toilets As per para 8 III CRZ-III A (j) construction of dispensaries, schools, public rain shelter, community toilets, bridges, roads, provision of facilities for water supply, drainage,</p>

		sewerage, crematoria, cemeteries and electric sub-station which are required for the local In habitants may be permitted on a case to case basis by CZMA.
x)	Whether issue of clearance is within the scope of PCZMA or MoEF?	Yes PCZMA. Since, the Proposed area of the project is less than 20,000 Sq.mts.

Remarks:

- The main strength or the life line of Puducherry Tourism lies in its beaches.
- The proposed to develop the beach stretches for tourism activates and to create quality recreational facilities to the local people.
- To create facilities for the tourists visiting the place. Accordingly, reports have been prepared and fund are made available through central assistance.
- These work will be executed by PWD under the central sponsored scheme as Tourist circuit under swadesh darshan scheme (Coastal Circuit), Puducherry and maintained by Tourism Department.

Hence place before the Authority.

Agenda Item No 3: CRZ clearance for development of beach at Chinna Veerampatinam, Ariyankuppam Commune Panchayate, Puducherry.

CRZ application with project report, project lay out received from the Director Tourism, Department of Tourism, Puducherry requesting to offer opinion/views of PCZMA.

2. The salient features of the proposal are stated below:

i)	Name of the Project	Development of beach at Chinna Veerampatinam in Puducherry
ii)	Name of the Applicant	The Director, Tourism Department, Government of Puducherry.
iii)	Location of the Project Village/Town, Taluk, Dt	R.S.No. 208pt Chinna Veerampattinam, Ariyankuppam Revenue Village, Ariyankuppam Commune Panchayate, Puducherry.
iv)	Extent of land	16,500 Sq.mts
v)	CRZ Classification	CRZ – III (No Development Zone- 200 meters from HTL), CRZ-IV (tidal influenced water bodies)
vi)	Project cost	Rs.3,03,38,000/-
vii)	Activities proposed	1) Retaining Wall & Bund 2) Boat jetty 3) Landscaping 4) Cofe 5) Toilet

		<p>6) Ticket Counter & Rain Shelter 7) Entrance Archway & Pathway 8) Gallery & Ornamental Pillers</p>
viii)	Other details	<ul style="list-style-type: none"> • A retaining wall is proposed along the side of gallery leading the tree hut. • Six Number of rain shelter are proposed. • An entrance archway, built of brick and dry palm truunks. • 75 Kg/Day of Solid waste generate and handed over to Arianyankuppam Commune Panchayat. • Renewable Energy will be utilized for power supply. • 2 KLD for domestic use from public supply. • Waste water generation about 1.6 KLD treated through septic tank followed by soak pit.
ix)	Whether permitted activity as per CRZ Notification? If yes, specify the relevant rules	<p>For activities proposed in Chinna veerampattinam it is submitted that Jetty for tourist boat As per para 4 (i) (a) CRZ Notification 2011,</p>
x)		<p>clearance shall be given for any activity within the CRZ if it requires waterfront and foreshore facilities. Construction of Jetty for tourist boat is permissible activity as per Section 3(i)(a) and 4(i)(a)&(f) as it is water front / foreshore requiring facility and permission can be given by PCZMA.</p> <p>For Temporary Wooden Restaurant As per para 8 III CRZ-III A (ii) No construction shall be permitted within NDZ except for repairs or reconstruction of existing authorized structure not exceeding existing Floor Space Index, existing plinth area and existing density and for permissible activities under the notification including facilities essential for activities.</p> <p>For Rain shelter & Toilets As per para 8 III CRZ-III A (j) construction of dispensaries, schools, public rain shelter, community toilets, bridges, roads, provision of facilities for water supply, drainage, sewerage, crematoria, cemeteries and electric sub-station which are required for the local In habitants may be permitted on a case to case basis by CZMA.</p>

xi)	Whether issue of clearance is within the scope of PCZMA or MoEF?	Yes PCZMA. Since, the Proposed area of the project is less than 20,000 Sq.mts.
-----	--	---

Remarks:

- The main strength or the life line of Puducherry Tourism lies in its beaches.
- The proposed to develop the beach stretches for tourism activates and to create quality recreational facilities to the local people.
- The project consists of strengthening of the bund , it is advised that the proponent shall take all necessary measures not to damage the existing structures and also take necessary measures for conservation of the existing sand dunes in the vicinity.
- To create facilities for the tourists visiting the place. Accordingly, reports have been prepared and fund are made available through central assistance.
- These work will be executed by PWD, Puducherry and maintained by Tourism Department.

Hence place before the Authority.

Agenda Item No 4: CRZ clearance for development of beach at Chunnambar, Manavelly Revenue Village, Ariyankuppam Commune Panchayat, Puducherry.

CRZ application with project report, project lay out received from the Director Tourism, Department of Tourism, Puducherry requesting to offer opinion/views of PCZMA.

2. The salient features of the proposal are stated below:

i)	Name of the Project	Development of beach at Chunnambar in Puducherry
ii)	Name of the Applicant	The Director, Tourism Department, Government of Puducherry.
iii)	Location of the Project Village/Town, Taluk, Dt	R.S.No. 54pt Chunnambar, Manavelly Revenue Village, Ariyankuppam Commune Panchayate, Puducherry.
iv)	Extent of land	8000 Sq.mts
v)	CRZ Classification	CRZ – III (No Development Zone- 200 meters from HTL), CRZ – IV (Tidal influence water bodies)
vi)	Project cost	Rs.3,03,15,014/-

vii)	Activities proposed	<ol style="list-style-type: none"> 1) Landscaping 2) Viewing Point 3) Pergola & Food court 4) Cycle track 5) Boat jetty 6) Children's play items. 7) Rope climbing 8) Rock climbing 9) Chess board and snake , ladder.
viii)	Other details	<ul style="list-style-type: none"> • Viewing Point – 2 Nos • Children's Play Items – Chess Board, Snake & Ladder, The flooring proposed here is polished granite, marble and concrete screed. • Toilet blocks - 2 Nos. • 75 Kg/Day of Solid waste generate and handed over to Arianyankuppam Commune Panchayat. • Renewable Energy will be utilized for power supply. • 2 KLD for domestic use from public supply. • Waste water generation about 1.6 KLD treated through septic tank followed by soak pit.
ix)	Whether permitted activity as per CRZ Notification? If yes, specify the relevant rules	<p>For activities proposed in Chunnambar beach it is submitted that</p> <p>Jetty for tourist boat</p> <p>As per para 4 (i) (a) CRZ Notification 2011, clearance shall be given for any activity within the CRZ if it requires waterfront and foreshore facilities.</p> <p>Construction of Jetty for tourist boat is permissible activity as per Section 3(i)(a) and 4(i)(a)&(f) as it is water front / foreshore requiring facility and permission can be given by PCZMA.</p> <p>For Temporary Wooden Food court</p> <p>As per para 8 III CRZ-III A (ii) No construction shall be permitted within</p>

		<p>NDZ except for repairs or reconstruction of existing authorized structure not exceeding existing Floor Space Index, existing plinth area and existing density and for permissible activities under the notification including facilities essential for activities.</p> <p>For Rain shelter & Toilets</p> <p>As per para 8 III CRZ-III A (j) construction of dispensaries, schools, public rain shelter, community toilets, bridges, roads, provision of facilities for water supply, drainage, sewerage, crematoria, cemeteries and electric sub-station which are required for the local In habitants may be permitted on a case to case basis by CZMA.</p> <p>For Children's play items</p> <p>As per para 8 III CRZ-III A sub section iii, (a) agriculture, horticulture, gardens, pasture, parks, play field, and forestry is permissible activities in NDZ.</p>
x)	Whether issue of clearance is within the scope of PCZMA or MoEF?	<p>Yes PCZMA.</p> <p>Since, the Proposed area of the project is less than 20,000 Sq.mts.</p>

Remarks:

- The main strength or the life line of Puducherry Tourism lies in its beaches.
- The proposed to develop the beach stretches for tourism activates and to create quality recreational facilities to the local people.
- To create facilities for the tourists visiting the place. Accordingly, reports have been prepared and fund are made available through central assistance.
- These work will be executed by PWD under the central sponsored scheme as Tourist circuit under swadesh darshan scheme (Coastal Circuit), Puducherry and maintained by Tourism Department.

Hence placed before the Authority.

Agenda Item No. 5:CRZ clearance for Package I of NH 45 A Villupuram (0.000) Poondiyankuppam, (67.000) at Villupuram and Cuddalore districts of TamilNadu and Puducherry District, Puducherry (UT) and Proposed Construction of new bridge in the CRZ area near the Soriyankuppam Village, U.T of Puducherry.

Letter and CRZ application with EIA report, HTL, LTL demarcation Map, Risk Assessment, Disaster Management Plan received from Thiru. Bhima Simha,

Project Director, National Highways Authority of India (NHAI), Villupuram, TamilNadu requesting to offer opinion/views of PCZMA.

2. The alignment of proposed four laning project in Villupuram – Puducherry – Nagapattinam Section of NH-45A in Tamilnadu state and Puducherry (UT) - Package I of NH 45 A Villupuram (0.000) to Poondiyankuppam, (67.000) at Villupuram and Cuddalore districts of TamilNadu and Puducherry district (UT). and Proposed Construction of new bridge in the CRZ area near the Soriyankuppam Village, U.T of Puducherry The CRZ map indicating the portions wherever the proposed alignment is passing through the CRZ area were only one location between Km 46+400 and Km 48+900. **In this portion, 46+400 to 47+460 lies in Puducherry (UT) and Km 47+460 to Km 48+900 lies in Cuddalore Taluk, Tamilnadu.**

3. The salient features of the proposal are stated below:

i)	Name of the Project	Package I of NH 45 A Villupuram (0.000) to Poondiyankuppam, (67.000) at Villupuram and Cuddalore districts of TamilNadu and Puducherry (UT) and Proposed Construction of new bridge in the CRZ area near the Soriyankuppam Village, U.T of Puducherry
ii)	Name of the Applicant	Thiru. Bhima Simha, Project Director, Natinal Highways Authority of India (NHAI), Villpuram, TamilNadu
iii)	Location of the Project Village/Town, Taluk, Dt	Kuruvinatham Revenue Village, Bahour Commune Panchayat, Puducherry
iv)	Extent of land	18975.86 Sq.mts.
v)	Project cost	1.482.39 Crores
v)	CRZ Classification	The project site in Puducherry is not classified under CRZ as per the existing PCZM Plan. However as per the CRZ notification 2011. The site falls under the CRZ as the proposed road and bridge in Puducherry region falls within 100mts of the tidal influenced water body viz pennayar river.
vi)	Project cost	Rs.1,482.39 Crores
vii)	Activities proposed	<ul style="list-style-type: none"> • The proposed length of the project road section is 67.00 KM starting from Villupuram to poondiyankuppam (in cuddalore Dt). And passing through Puducherry. • Proposed Construction of new bridge at the site falling under CRZ area near the Soriyankuppam Village, U.T of Puducherry. • The construction work includes strengthening and widening of the existing national highway, construction of Bye pass, Bridges, cross

		drainage structures and drain etc.
viii)	Other details	Solid waste shall not be dumped in the CRZ area and shall be collected and handled as per the Municipal Solid Waste Management Rules 2016.
ix)	Whether permitted activity as per CRZ Notification? If yes, specify the relevant rules	Yes. Permissible activities under CRZ-III: CRZ – III, As para 8 III (iii) (j) of CRZ Notification 2011, construction of dispensaries, schools, public rain shelter, community toilets, bridges, roads , provision of facilities for water supply, drainage, sewerage, crematoria, cemeteries and electric sub-station which are required for the local inhabitants may be permitted on a case to case basis by CZMA.
x)	Whether issue of clearance is within the scope of PCZMA or MoEF?	Yes MoEF&CC. Since, this is category A project under EIA Notification 2006.

Remarks:

The proposed alignment is passing through CRZ area in Soriyankuppam village in Puducherry U.T. as detailed below:

Chainage between	Area of road (right of way) in various Coastal Regulation Zone (in Sq.mts)					
	CRZ-IA	CRZ-IB	CRZ-II	CRZ-III	CRZ-IVA	CRZ-IVB
Km 46 + 400 to Km 47 + 460	Nil	1121.66	Nil	9060.98	Nil	Nil

Hence placed before the Authority.

Agenda Item No. 6: CRZ Clearance for Reconstruction and Modernization of Fishing Harbour at Puducherry.

Letter along with detailed project report received from the Joint Project Director (Fisheries), Project Implementation Agency, Puducherry requesting for modification in the CRZ Clearance issued by MoEF&CC on 22.12.2010. PIA, Puducherry had obtained CRZ Clearance from MoEF&CC for the project Reconstruction and Modernization of Fishing Harbour at Puducherry vide order dated 22.12.2010 for the following components:

- i. Extension of Quay
- ii. Modernization of Sloping Yard
- iii. Marine Mechanized Workshop
- iv. Boat Repair Yard

- v. Pre Processing Unit
- vi. Ice Plant
- vii. Effluent Treatment Plant
- viii. Administrative Building
- ix. Maintenance Dredging
- x. Net Mending Shed

Construction activity for this project commenced in 2011 under ETRP project and most of the project component are already completed. Construction of sloping yard and Boat Repair yard is yet to be commenced. **PIA has requested for modification in the Sloping Yard capacity from 15 Tons to 35 Ton Fishing Vessel Handling Capacity:**

2. The salient features of the proposal are stated below:

i)	Name of the Project	Reconstruction and Modernization of Fishing Harbour at Puducherry
ii)	Name of the Applicant	Joint Project Director (Fisheries), Project Implementation Agency, Puducherry.
iii)	Location of the Project Village/Town, Taluk, Dt	Thengaithittu Revenue Village, Puducherry Municipality, Puducherry
iv)	Extent of land	22.18 Acres
v)	CRZ Classification	CRZ – II & CRZ IV (tidal influenced water bodies)
vi)	Project cost	Rs.25.11 crores
vii)	Activities proposed	Construction of 35 tons capacity Slipway and associated facilities like winch and cradle
viii)	Other details	In the earlier project proposal submitted in 2010 for which CRZ clearance was granted by MoEF&CC , the capacity of slip way and associated facilities like winch and cradle was mentioned as 15 Tons. During 2015 based on changing fishing fleet assessment a revised DPR was prepared for the slip way for 35 Tons capacity.
ix)	Whether permitted activity as per CRZ Notification? If yes, specify the relevant rules	Yes As per para 4(i)(f) of CRZ notification 2011, “ construction and operation for ports and harbours, jetties, wharves, quays, slipways, ship construction yards, breakwaters, groynes, erosion control measures and salt works” is regulated activity. The amendment dated 28th November, 2014 in the CRZ notification 2011 states that the proposals covered under para (4) (i) but not attracting EIA notification 2006 requires CRZ clearance from State Environmental Impact Assessment Authority (SEIAA) in respective state after having been recommended by concerned CZMA.

x)	Whether issue of clearance is within the scope of PCZMA or MoEF? Specify relevant rules	SEIAA with recommendation of PCZMA as per CRZ Notification 2011 para 4(i)(f) and amendment dated 28.11. 2014
----	---	--

Remarks:

- Reconstruction and Modernization of Fishing Harbour commenced in (Month) 2011 and most of above said project components are already completed.
- The slipway and the associated facilities like Winch and Cradle will be designed for capacity of handling 15 Ton Fishing Vessels
- During 2015 as per the changing of fishing fleet dimensions the design of the Slipway has been revised to accommodate 35 tons capacity fishing vessels.
- There is no change in the project profile or fish handling capacity of the fishing harbour.
- The proponent shall take all necessary measures not to increase capacity $\geq 10,000$ TPA of fish handling capacity. In that case it will invite the prior Environmental Clearance as it is classified under Category B as per the Environment Impact Assessment Notification ,2006.
- The total capacity of the slipway in terms of number of boats is the same i.e only six boats as per the earlier and the present also same.
- Changes have been made only in terms of the strength/endurance of the slip way and its associated facilities.

Hence placed before the Authority.

Agenda Item No.7: CRZ Clearance for Reconstruction and Modernization of Fishing Harbour at Karaikal.

Letter along with detailed project report received from the Joint Project Director (Fisheries), Project Implementation Agency, Puducherry requesting for modification in the CRZ Clearance issued by MoEF&CC on 22.10.2010. PIA, Puducherry had obtained CRZ Clearance from MoEF&CC for the project Reconstruction and Modernization of Fishing Harbour at Puducherry vide order dated 22.12.2010 for the following components:

- i. Modernization of Sloping Yard
- ii. Boat Repair Yard
- iii. Fish Processing Unit
- iv. Ice Plant
- v. Effluent Treatment Plant

2. The salient features of the proposal are stated below:

i)	Name of the Project	Reconstruction and Modernization of Fishing Harbour at Karaikal
ii)	Name of the Applicant	Joint Project Director (Fisheries), Project Implementation Agency, Puducherry.
iii)	Location of the Project Village/Town, Taluk, Dt	Oduthurai Village, karaikal
iv)	Extent of land	-
v)	CRZ Classification	CRZ III
vi)	Project cost	Rs.33.49 Crores
vii)	Activities proposed	Construction of 35 tons capacity Slipway and associated facilities like winch and cradle
viii)	Other details	In the earlier project proposal submitted in 2010 for which CRZ clearance was granted by MoEF&CC , the capacity of slip way and associated facilities like winch and cradle was mentioned as 15 Tons. During 2015 based on changing fishing fleet assessment a revised DPR was prepared for the slip way for 35 Tons capacity.
ix)	Whether permitted activity as per CRZ Notification? If yes, specify the relevant rules	Yes As per para 4(i)(f) of CRZ notification 2011, “construction and operation for ports and harbours, jetties, wharves, quays, slipways, ship construction yards, breakwaters, groynes, erosion control measures and salt works” is regulated activity. The amendment dated 28th November, 2014 in the CRZ notification 2011 states that the proposals covered under para (4) (i) but not attracting EIA notification 2006 requires CRZ clearance from State Environmental Impact Assessment Authority (SEIAA) in respective state after having been recommended by concerned CZMA.
x)	Whether issue of clearance is within the scope of PCZMA or MoEF? Specify relevant rules	SEIAA with recommendation of PCZMA as per CRZ Notification 2011 Para 4(i)(f) and amendment dated 28.11. 2014.

Remarks:

- Reconstruction and Modernization of Fishing Harbour commenced in 2014 and most of above said project components are already completed expect slipway and boat repair yard.
- In the year of 2015 Re- design for Slipway was done considering the changes in fishing fleet dimensions to accommodate 35 tons capacity fishing vessels.

- There is no change in the project profile or fish handling capacity of the fishing harbour.
- The proponent shall take all necessary measures not to increase capacity $\geq 10,000$ TPA of fish handling capacity. In that case it will invite the prior Environmental Clearance as it is classified under Category B as per the Environment Impact Assessment Notification ,2006.
- The total capacity of the slipway in terms of number of boats is the same i.e only six boats as per the earlier and the present.
- Changes have been made only in terms of the strength/endurance of the slip way and its associated facilities.

Hence placed before the Authority.

Agenda Item No.8: CRZ Clearance for two storeyed Guest house Block, Single Storeyed Pump Room & Swimming Pool Block, two storeyed Time office & visitors Room Block, Two Storeyed Generator Block, Single Storeyed Mangalore tiled roof Parking Shed by M/s. Lily Pool Guest House at Ariyankuppam Commune Panchayat, Puducherry.

Letter received from the project proponent requesting CRZ Clearance for the two storeyed Guest house Block, Single Storeyed Pump Room & Swimming Pool Block, two storeyed Time office & Visitors Room Block, Two Storeyed Generator Block, Single Storeyed Mangalore tiled roof Parking Shed.

2. The salient features of the proposal are stated below:

i)	Name of the Project	M/s. Lily Pool Guest House
ii)	Name of the Applicant	Thiru. Raj De Condappa
iii)	Location of the Project Village / Town, Taluk, Dt	R.S.No. 42/13, 44/9B/2, 44/9C, Poornakuppam Revenue Village, Ariyankuppam Commune Panchayat, Puducherry.
iv)	Extent of land	8085 sq.mts.
v)	CRZ Classification	CRZ – III (between 200 to 500 meters) and beyond 500 meters outside CRZ
vi)	Project cost	-
vii)	Activities proposed	Two storeyed Guest house Block, Single Storeyed Pump Room & Swimming Pool Block, two storeyed Time office & visitors Room Block, Two Storeyed Generator Block, Single Storeyed Mangalore tiled roof Parking - <u>Project already Completed.</u> - Two bore wells are installed
viii)	Whether permitted activity as per CRZ Notification	Yes.

	2011? If yes, specify the relevant rules	As per para 8 III- CRZ-III – B(i) of CRZ Notification 2011, “ <i>development of vacant plot in designated areas for construction of hotels or beach resorts for tourists or visitors is permissible activity subject to the conditions as specified in the guidelines at Annexure-III.</i> ”
ix)	Any other details	The proponent has already completed the construction work prior to
x)	Whether issue of clearance is within the scope of PCZMA or MoEF? Specify relevant rules	MoEF & CC. GoI with recommendation of PCZMA

Remarks:

- The proponent has constructed the building way back in the year 2007 as per the statement made by the person available in the guest house during inspection.
- The guesthouse falls within the 200 – 500 metre from the HTL and it falls in CRZ-III which is covered under the ambit of CRZ, 2011 Notification.
- The proponent has already provided two borewell in the premise of the guest house for in-house usage and gardening.
- The PPA vide its letter no:1044/PPA/Z(SB/ACP)/ 2016/5597 dated 01.12.2016 addressed to Thiru Raj De Condappa, the reproduced version is briefed below:
 - i. it is mentioned in the PPA letter that the proponent shall obtain NOC from the PCZMA since the site falls within the 200-500 metre from HTL.*
 - ii. Swimming pool has been constructed without obtaining prior permission from authority i.e. PPA.*
- As per the CRZ Notification 2011, there is restriction of putting bore well and drawl of water from it in the CRZ area)
- The construction of hotels or beach resorts permissible in CRZ-III area as per CRZ Notification, 2011 subject to the conditions as specified in the guidelines at Annexure-III.
- The sanctioning authority is the MoEF&CC for the beach resorts or hotels.
- Considering the above violation, the proposal is placed for discussion.

Hence placed before the Authority.

Agenda Item No.9: Ratification of CRZ Clearance for transporting dredged sand of Port Department for spreading on ground at Masi Magam function place at Vaithikuppam, Puducherry.

Letter received from Executive Engineer, Irrigation Division PWD requesting CRZ clearance for transportation of dredged sand of Port Department for pathway formation along coast of Vaithikuppam, Puducherry for Masi Magam function.

2 The salient features of the proposal are stated below:

i)	Name of the Project	CRZ Clearance for transporting dredged sand of Port Department for spreading on ground at Masi Magam function place at Vaithikuppam, Puducherry
ii)	Name of the Applicant	Executive Engineer, Irrigation Division PWD, Puducherry
iii)	Location of the Project Village / Town, Taluk, Dt	Vaithikuppam, Puducherry
iv)	Extent of land	-
v)	CRZ Classification	CRZ – II
vi)	Project cost	-
vii)	Activities proposed	The dredged sand which is heaped near break- water area, New Light house, Puducherry is carried over to Vaithikuppam for Masimagam, traditional festival celebrated by the local communities.
viii)	Whether permitted activity as per CRZ Notification 2011? If yes, specify the relevant rules	Transportation of dredged sand for spreading on coastal area for use of local public does not fall under prohibited activity listed under Section 3 of CRZ Notification, 2011.
ix)	Any other details	<ul style="list-style-type: none"> • Masi Magam function is celebrated every year in the sea shore area of Vaithikuppam, every year wherein all the deity will be gathered from in and around Puducherry and adjacent area of Tamil Nadu. • PWD prepares the function ground every year by spreading gravel and sand.
x)	Whether issue of clearance is within the scope of PCZMA or MoEF? Specify relevant rules	PCZMA.

Hence placed before the Authority.